

150 kg

> Maşa

- preslenmiş çelik sac, çinko kaplama,
- çift bilya yataklı döner başlık,
- toz koruması,
- civata ve somunlu teker aksı

> Teker: SPR - SMR

- preslenmiş çelik sac kasnak,
- siyah kauçuk kaplama,
- jant kapaklı,
- plastik burçlu veya masura bilya yataklı










> Housing

- made of pressed steel, zinc - chromatised,
- double ball bearing swivel head,
- dustguard,
- wheel axle with nut and screw










> Wheel: SPR - SMR

- wheel centre with pressed steel,
- black rubber tread,
- with threadguards,
- plastic or roller bearing












Swivel Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 01 SPR 150	150	45	179	115x141	80x105	3	2377	150	S
EG 01 SMR 150	150	45	179	115x141	80x105	3	2565	150	S



Swivel Castor with brake	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 01 SPR 150 F	150	45	179	115x141	80x105	3	2711	150	S
EG 01 SMR 150 F	150	45	179	115x141	80x105	3	2899	150	S



Fixed Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 02 SPR 150	150	45	179	115x141	80x105	2,5	1803	150	S
EG 02 SMR 150	150	45	179	115x141	80x105	2,5	1852	150	S

Tüm EG serisi için SPRg ve SMRg tekerlekler kullanılabilir.  
Series EG is also with wheels SPRg and SMRg available.



> Teker: SPRg - SMRg

- preslenmiş çelik sac kasnak,
- gri kauçuk kaplama, iz bırakmaz,
- jant kapaklı,
- plastik burçlu veya masura bilya yataklı

> Wheel: SPRg - SMRg

- wheel centre with pressed steel,
- grey rubber tread, non - marking,
- with threadguards,
- plastic or roller bearing

> Maşa

- preslenmiş çelik sac, çinko kaplama,
- çift bilya yataklı döner başlık,
- toz koruması,
- civata ve somunlu teker aksı

> Teker: ZKZ - ZBZ - ZMZ

- poliamid teker,
- naturel beyaz,
- jant kapaksız,
- kendinden burçlu, bilyalı veya masura bilya yataklı










> Housing

- made of pressed steel, zinc - chromatised,
- double ball bearing swivel head,
- dustguard,
- wheel axle with nut and screw










> Wheel: ZKZ - ZBZ - ZMZ

- wheel with polyamide,
- natural white,
- without threadguards,
- plain bore, ball or roller bearing












Swivel Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 01 ZKZ 150	150	45	179	115x141	80x105	3	1814	210	+
EG 01 ZMZ 150	150	45	179	115x141	80x105	3	1942	210	+
EG 01 ZBZ 150	150	45	179	115x141	80x105	3	1854	210	+



Swivel Castor with brake	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 01 ZKZ 150 F	150	45	179	115x141	80x105	3	2132	210	+
EG 01 ZMZ 150 F	150	45	179	115x141	80x105	3	2260	210	+
EG 01 ZBZ 150 F	150	45	179	115x141	80x105	3	2188	210	+



Fixed Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 02 ZKZ 150	150	45	179	115x141	80x105	2,5	1102	210	+
EG 02 ZMZ 150	150	45	179	115x141	80x105	2,5	1230	210	+
EG 02 ZBZ 150	150	45	179	115x141	80x105	2,5	1142	210	+

210 kg

> Maşa

- preslenmiş çelik sac, çinko kaplama,
- çift bilya yataklı döner başlık,
- toz koruması,
- civata ve somunlu teker aksı

> Teker: ZKP - ZBP - ZMP

- poliamid kasnak,
- poliüretan kaplama,
- jant kapaksız,
- kendinden burçlu, bilyalı veya masura bilya yataklı










> Housing

- made of pressed steel, zinc - chromatised,
- double ball bearing swivel head,
- dustguard,
- wheel axle with nut and screw










> Wheel: ZKP - ZBP - ZMP

- wheel centre with polyamide,
- polyurethane tread,
- without threadguards,
- plain bore, ball or roller bearing












Swivel Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 01 ZKP 150	150	45	179	115x141	80x105	3	1958	210	+
EG 01 ZMP 150	150	45	179	115x141	80x105	3	2089	210	+
EG 01 ZBP 150	150	45	179	115x141	80x105	3	2068	210	+



Swivel Castor with brake	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 01 ZKP 150 F	150	45	179	115x141	80x105	3	2282	210	+
EG 01 ZMP 150 F	150	45	179	115x141	80x105	3	2423	210	+
EG 01 ZBP 150 F	150	45	179	115x141	80x105	3	2385	210	+



Fixed Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EG 02 ZKP 150	150	45	179	115x141	80x105	2,5	1252	210	+
EG 02 ZMP 150	150	45	179	115x141	80x105	2,5	1377	210	+
EG 02 ZBP 150	150	45	179	115x141	80x105	2,5	1355	210	+